

Contents

<i>Publisher's Note</i>	v
<i>Regular papers</i>	
Conformational flexibility in highly sulfated β -D-glucopyranoside derivatives H.P. Wessel and S. Bartsch (Basel, Switzerland)	1
Stereoselective synthesis of <i>O</i> -serinyl/threoninyl-2-acetamido-2-deoxy- α - or β -glycosides L. Szabó, J. Ramza, C. Langdon and R. Polt (Tucson, AZ, USA)	11
Synthesis of 4-substituted-2-acetamido-2,4-dideoxy-mannopyranoses using 1,6-anhydro sugar chemistry R. Thomson and M. von Itzstein (Parkville, Australia)	29
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,4-anhydro-D-xylitol N. Wang and G.R. Gray (Minneapolis, MN, USA)	45
Synthesis and characterization of authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,4-anhydro-L-fucitol N. Wang, L.E. Elvebak II and G.R. Gray (Minneapolis, MN, USA)	59
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-mannitol L.E. Elvebak II, H.J. Cha, P. McNally and G.R. Gray (Minneapolis, MN, USA)	71
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-glucitol L.E. Elvebak II and G.R. Gray (Minneapolis, MN, USA)	85
Synthesis and characterization of authentic standards for the analysis of ribofuranose-containing carbohydrates by the reductive-cleavage method C.R. Rozanas, N. Wang, K. Vidlock and G.R. Gray (Minneapolis, MN, USA)	99
Regioselective synthesis and characterization of 6- <i>O</i> -alkanoylgluconolactones D. Kwoh, D.J. Pocalyko, A.J. Carchi, B. Harirchian, L.O. Hargiss (Edgewater, NJ, USA) and T.C. Wong (Columbia, MO, USA)	111
Direct glycosylation of protected <i>O</i> -tritylserine esters and oligopeptides A. Rajca (Gliwice, Poland) and M. Wiessler (Heidelberg, Germany)	123
Syntheses and testing of substrates and mechanism-based inactivators for xylanases L. Ziser, I. Setyawati and S.G. Withers (Vancouver, Canada)	137

Synthesis of the methyl thioglycosides of four stereoisomers and the 2-methoxy derivative of L-fucose A. Hasegawa, M. Kato, T. Ando, H. Ishida and M. Kiso (Gifu, Japan)	155
Synthesis of sialyl Lewis X ganglioside analogues containing modified L-fucose residues A. Hasegawa, M. Kato, T. Ando, H. Ishida and M. Kiso (Gifu, Japan)	165
Synthesis of carbocyclic analogues of the mannosyl trisaccharide: ether- and imino-linked methyl 3,6-bis(5a-carba- α -D-mannopyranosyl)-3,6-dideoxy- α -D-mannopyranosides S. Ogawa, S. Sasaki and H. Tsunoda (Yokohama, Japan)	183
New syntheses of D-tagatose and of 1,5-anhydro-D-tagatose from D-galactose derivatives P.L. Barili, G. Berti, G. Catelani, F. D'Andrea and L. Miarelli (Pisa, Italy)	197
Synthesis of specifically deoxygenated disaccharide derivatives of the <i>Shigella dysenteriae</i> type 1 O-antigen L.A. Mulard and C.P.J. Claudemans (Bethesda, MD, USA)	209
The relative and absolute configurations of stereocenters in caryophyllose M. Adinolfi, M.M. Corsaro, C. De Castro (Napoli, Italy), A. Evidente (Portici, Italy), R. Lanzetta, L. Mangoni and M. Parrilli (Napoli, Italy)	223
A novel acidic glycogen extracted from the marine sponge <i>Aplysina fulva</i> (Porifera-Demospongiae) M.S. Zierer, R.P. Vieira (Rio de Janeiro, Brazil), B. Mulloy (Hertfordshire, UK) and P.A.S. Mourão (Rio de Janeiro, Brazil)	233
Structural studies on a cell wall polysaccharide from <i>Bifidobacterium longum</i> YIT4028 M. Nagaoka, H. Shibata, I. Kimura, S. Hashimoto, K. Kimura, H. Sawada and T. Yokokura (Tokyo, Japan)	245
Cell-wall polysaccharides from the marine green alga <i>Ulva "rigida"</i> (Ulvales, Chlorophyta). Extrac- tion and chemical composition B. Ray and M. Lahaye (Nantes, France).	251
<i>Notes</i>	
A mild and efficient procedure to remove acetal and dithioacetal protecting groups in carbohydrate derivatives using 2,3-dichloro-5,6-dicyano-1,4-benzoquinone J.M. García Fernández, C. Ortiz Mellet, A. Moreno Marín and J. Fuentes (Sevilla, Spain)	263
Selective methylations of the 2'-hydroxy and C-2 positions of 3-deoxy-5-O-(4-deoxymycaminosyl)tylo- nolide S. Kageyama (Ibaraki, Japan) and T. Tsuchiya (Kawasaki, Japan)	269
Towards the synthesis of sialic acid-based <i>Salmonella typhimurium</i> sialidase inhibitors D.I. Angus and M. Von Itzstein (Parkville, Australia)	279
Synthesis of 4-methylumbelliferyl- β -D-glucan oligosaccharides as specific chromophoric substrates of (1 \rightarrow 3),(1 \rightarrow 4)- β -D-glucan 4-glucanohydrolases C. Malet, J.L. Viladot, A. Ochoa, B. Gállego, C. Brosa and A. Planas (Barcelona, Spain)	285
Synthesis of N-acetyl-9-S-acetyl-9-thioneuraminic acid, N-acetyl-9-thioneuraminic acid, and their methyl α -glycosides R. Isecke and R. Brossmer (Heidelberg, Germany)	303

Contents

C9

Cell-wall polysaccharides from the marine green algae <i>Ulva</i> “ <i>rigida</i> ” (Ulvales, Chlorophyta). Chemical structure of ulvan B. Ray and M. Lahaye (Nantes, France).	313
<i>Author index</i>	C1
<i>Subject index</i>	C3
<i>Contents</i>	C7